Hospi Choice
By : Hitech Metal & Medical Equipments Pvt. Ltd.

Operation Theatre Lights

HI-TECH
LED - 600

Model No.	Hi-Tech LED -600
Dome Size	600mm
Intensity Lux	1,60000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz
Colour Index (Ra)	>90
Electricity Saving	50 to 60%
LED Life	50000 Hrs
Dimming Range	10% to 100%

Optional - **360° Rotation of Arm**
Optional - **Battery Backup**





HI-TECH
LED - 600+600

Model No.	Hi-Tech LED -600+600
Dome Size	600+600mm
Intensity Lux	1,60000 + 1,60000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz
Colour Index (Ra)	>90
Electricity Saving	50 to 60%
LED Life	50000 Hrs
Dimming Range	10% to 100%

Optional - **360° Rotation of Arms**
Optional - **Battery Backup**

Hospi Choice
By : Hitech Metal & Medical Equipments Pvt. Ltd.

Operation Theatre Lights

HI-TECH
LED Hexa-3

Model No.	Hi-Tech LED Hexa-3
Dome Size	600mm
Intensity Lux	1,20000 ± 10%
Colour Temp.	4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24 Volt
Colour Index (Ra)	>90
Power Consumption	35 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%

Optional - **360° Rotation of Arm**
Optional - **Battery Backup**





HI-TECH
LED - Hexa 3 + Hexa-3

Model No.	Hi-Tech LED Hexa-3 + Hexa-3
Dome Size	600 + 600mm
Intensity Lux	1,20000+1, 20000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24 Volt
Colour Index (Ra)	>90
Power Consumption	35 + 35 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%

Optional - **360° Rotation of Arms**
Optional - **Battery Backup**

All images are indicative. Constant R & D may lead us to change the design for improvement

Hospi Choice
By : Hitech Metal & Medical Equipments Pvt. Ltd.

Operation Theatre Lights

HI-TECH
LED Hexa-4

Model No.	Hi-Tech LED Hexa-4
Dome Size	700mm
Intensity Lux	1,50000 ± 10%
Colour Temp.	4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24 Volt
Colour Index (Ra)	>90
Power Consumption	45 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%

Optional - **360° Rotation of Arm**
Optional - **Battery Backup**





HI-TECH
LED Hexa-4 + Hexa-4

Model No.	Hi-Tech LED Hexa-4 + Hexa-4
Dome Size	700 + 700mm
Intensity Lux	1,50000+1, 50000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24 Volt
Colour Index (Ra)	>90
Power Consumption	45 + 45 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%

Optional - **360° Rotation of Arms**
Optional - **Battery Backup**

Hospi Choice
By : Hitech Metal & Medical Equipments Pvt. Ltd.

Operation Theatre Lights

HI-TECH
LED Hexa-5

Model No.	Hi-Tech LED Hexa-5
Dome Size	700mm
Intensity Lux	1,70000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24 Volt
Colour Index (Ra)	>90
Power Consumption	55 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%

Optional - **360° Rotation of Arm**
Optional - **Battery Backup**





HI-TECH
LED 600

Model No.	Hi-Tech LED 600
Intensity Lux	1,60000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz
Colour Index (Ra)	>90
Electricity Saving	50 to 60%
LED Life	50000 Hrs
Dimming Range	10% to 100%


Optional - **Battery Backup**

All images are indicative. Constant R & D may lead us to change the design for improvement

Operation Theatre Lights

HI-TECH
LED Hexa-3

Model No.	Hi-Tech LED Hexa-3
Dome Size	600mm
Intensity Lux	1,20000 ± 10%
Colour Temp.	4800k
Light Spot (mm) (adjustable)	125mm or more
Main supply	Ac 220v/50Hz, Dc 24Volt
Colour Index (Ra)	>90
Power Consumption	35 Watt
LED Life	50000 Hrs
Dimming Range	20% to 100%





HI-TECH
LED Hexa-4

Model No.	Hi-Tech LED Hexa-4
Dome Size	700mm
Intensity Lux	1,50000 ± 10%
Colour Temp.	4300k - 4800k
Light Spot (mm) (adjustable)	100mm or more
Main supply	Ac 220v/50Hz
Colour Index (Ra)	>90
Electricity Saving	50 to 60%
LED Life	50000 Hrs
Dimming Range	10% to 100%

Optional - **Battery Backup**